

The second stage of the interuterune life is

Choice	Correct answer	Attempt answer
Germinal period		
Fetal period		
Embryonic period	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Score: 1 out of 1

Capacitation of the sperms occurs in

Choice	Correct answer	Attempt answer
Epidyddmis		
Vas deference		
Uterine tube	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Score: 1 out of 1

The result of fertilisation is zygot contains haploid number of chromosomes

Choice	Correct answer	Attempt answer
True		
False	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Score: 1 out of 1

The Follicle stimulating hormone is secreted by the hypothalamus

Choice	Correct answer	Attempt answer
True		
False	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Score: 1 out of 1

If fertilization does not occur the corpus luteum will

Choice	Correct answer	Attempt answer
Secrete chorionic gonadotropin hormone		
Produce oestrogen		
Degenerate	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Score: 1 out of 1

Which of the following uterine layers will degenerate during the menstrual phase?

Choice	Correct answer	Attempt answer
Perimetrium		
Myometrium		
Superficial layer of the endometrium	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Deep layer of the endometrium		

Score: 1 out of 1

Decidua basalis lies between the fetus and myometrium

Choice	Correct answer	Attempt answer
True	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
False		

Score: 1 out of 1

The morula is a mass formed ofblastomeres

Choice	Correct answer	Attempt answer
4		
8		
16	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
32		
		Score: 1 out of 1

Which of the following is a normal site of implantation ?

Choice	Correct answer	Attempt answer
Upper part of the posterior wall of the body of the uterus	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Lower part of the posterior wall of the body of the uterus		
upper part of the anterior wall of the body of the uterus		
Lower part of the anterior wall of the body of the uterus		
		Score: 1 out of 1

The floor of amionic cavity is formed by the epiblast

Choice	Correct answer	Attempt answer
True	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
False		
		Score: 1 out of 1

Secondary chorionic villi is formed of

Choice	Correct answer	Attempt answer
c=Cytotrophoblast		
Syncytiotrophoblast		
Core of mesoderm		
All of the above	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Score: 1 out of 1

Chorion frondosum lies adjacent to decidua basalis

Choice	Correct answer	Attempt answer
True	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
False		
		Score: 1 out of 1

Ther embryonic disc remain bilaminar at

Choice	Correct answer	Attempt answer
Prochordal plate		
Cloacal membrane		
All of the above	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		Score: 1 out of 1

Which of the following is a derivative of the ectoderm ?

Choice	Correct answer	Attempt answer
Biceps muscle		
Vertebral column		
Epidermis of the skin	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Urinary bladder		

Score: 1 out of 1

The cardiac muscle is developed from

Choice	Correct answer	Attempt answer
Ectoderm		
Mesoderm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Endoderm		

Score: 1 out of 1

The proximal end of the allantosis form the apex of urinary bladder .

Choice	Correct answer	Attempt answer
True	<input checked="" type="checkbox"/>	✓
False		

Score: 1 out of 1

The part of the gut found in the head fold is called the foregut

Choice	Correct answer	Attempt answer
True	<input checked="" type="checkbox"/>	✓
False		

Score: 1 out of 1