

Oral cavity


A mucocutaneous junction (lip) ■

Tongue ■


Salivary glands ■


Sagittal section of LIP

1 Oral mucosa 2 red margin




Oral mucosa part labial seromucous gland






Vermilion (transition zone)




Fine skeletal muscle in core of lip


Connective tissue #capillaries+nerve ■






Tongue(dorsal surface)




Filiform Papillae






Skeletal muscle



Filiform Papillae



Filiform Papillae



Fungiform papilla



Str. Squa.Ep..




Circumvallate Papilla

sulcus=groove

VonIbner's gland




Taste bud





VonIb.
Gl.

Serous gl. sulcus Taste bud




Taste bud





Serous acinus




Salivary glands:
compound tubuloacinar gland
parenchyma & stroma

Parotid gland:


gland divided into Lobules by septa ■




Parotid gland: serous gland



Striated & intercalated (Intralobular duct)







Serous
acinus


Interlobular duct ■

Interlobular
duct

S.



Interlobular duct (excretory)



Submandibular gland





Seromucous gland(mixed)



Submandibular gland








Serous demilune




Serous demilune





Sublingual gland

Mucous (mostly) gland ■



compound tubuloacinar gland






St.d



Sublingual gland





Strat. cubo.epth. duct




Esophagus


Esophagus(star lumen)



Esophagus(lower third)




Eosophageal proper gland **muscularis mucosa**







Str. Squa.epi.non ker.




Eosophageal proper gland(in submucosa)




Esophageal gland proper (in submucosa)







Advan.(serosa)


Esophagus(upper third)skeletal muscle mus. ext.




Skeletal mus.









Lower third(smooth muscle)





Nerve fibers



Cardiac gland in l.p. @ junction




Mixed smooth&skeltal in mid. eOsoph.





Smooth skeletal muscle




Mixed skeletal and smooth muscle




Parasympathetic ganglion- intramural (G.I.T.)



Oesophago-gastric junction






Stomach


Rugae(stomach):mucosa+submucosa



-mucous membrane: gastric
pit+l.p+mus.mucosa




Fundus or body of stomach



Gastric pit (simple columnar epith.)


gastric glands



Gastric pit simple branched tubular gland




Mucous_secreting surface cells




Neck
mucous
cells

Chief cells parietal cell




Chief cells

parietal cell




**Pyloric
stomach**

MALT




Pyloric stomach




Pyloric glands


simple branched tubular coiled
glands(mucous cells)



Sphincter pyloric



Pyloric- duodenal junction



Small intestine



Duodenum



Intestinal glands


villi



Brunner's glands in
submucosa


Crypt of Lieberkuhn villus






Surface absorptive cells (simple columnar with brush border)








Lym.

This histological section shows the layers of the stomach wall. The Brunner's glands are located in the submucosa, the muscularis mucosa (MM) is the innermost layer, and the lymphoid tissue (Lym.) is located in the lamina propria.


MM

Brunner's
glands

Simple branch tubular gl.=mucous



Auerbach's myenteric plexus




Plicae circularis in jejunum




villi

Plica circularis




Crypt= intestinal gland




Paneth cell of intestinal gland



Ileum




Peyer's patches




Large intestine

solitary nodule in colon




colon



Simple tubular gland in colon

Crypt of Lieberkuhn=




surface cell


Goblet cells




Taeniae coli



Inner circular outer long
smooth muscle.




Appendix




Crypt of Lieberkuhn




Mu.x.



Rectoanal junction




Lower anal canal




Gallbladder


Honey comb folding musc. Bundles within lamina propria




Honey comb folding mucosa musc. Bundles within lamina propria



✦ lamina propria




Simple columnar epithelium




Pancreas


Mixed endocrine-exocrine gland

Islet of Langerhans




Exocrine pancreatic portion: compound acinar gland






pancreatic Serour acini:
protein secretory cells



Zymogenic granules

basophilic cell cytoplasm




Inter
calated
duct

Centroacinar cells

Secretory
granules


r-ER




The Liver

Animal liver glisson's capsule

Portal
space




Parenchyma portion



Central vein


Sinusoid(endothelium)




hepatocyte


Kupffer Cell

Portal vein hepatic artery bile duct




Human Liver






Portal space




bile duct

hepatic artery



Silver impregnation reticular fibers



P.A.S reaction glycogen

