# Anatomy Lec 2


العقال م

we finished the Previous Cecture by discussing the Contents of Suferior mediastinum, Which is What we will discuss in this Cuture.


#### **Contents of superior Mediastinum**


- 1- Arch of Aorta and its branches
- 2- Brachiocephalic veins and superior vena cava
- 3- Thoracic duct
- 4- Thymus
- 5-Phrenic and vagus nerves
- 6- Trachea
- 7- Oesophagus

لا تفنزعوا حفظهم سفل بس تبعّوا ع المهمة:



الاسياء بلي عليهم هايلات ها إلى الرابودس بالرابوء





# سَعُوا مِع إلى الساعة الساعة :-

#### Brachiocephalic vein (Right and left )

Formation: By union internal jugular and subclavian veins

Beginning: Posterior to the sternoclavicular joint

Termination: 1st right costal cartilage

Both right and left Brachiocephalic veins joined together

to form superior venae cava


**N.B**: The left Brachiocephalic vein is longer than the right


Brachiocephalic vein WHY ?? R هدل میش من کالله الله الله الله میش من الله

It passes from the left to the right side, anterior to the roots of the three major branches of the arch of the aorta


### **Tributaries of Brachiocephalic vein**

Rt. Brachiocephalic vein	Lt. Brachiocephalic vein	
Inferior thyroid vein	Inferior thyroid vein	
Right vertebral vein	Left vertebral vein	
Right Internal thoracic vein	Left Internal thoracic vein	Reme
Right first posterior intercostal	Left first posterior intercostal vein	Reme
	Left superior intercostal vein	





# Superior venu Cowa




#### Superior venae cava

Formation: By union the right and left Brachiocephalic veins


**Beginning :** 1st right costal cartilage **Termination :** 3rd right costal cartilage

as it enters the right atrium of the heart

It receives the venous return from the upper half of the body, above the diaphragm









## Arteries of the superior mediastinum

Beginning: Right border of sternum at 2<sup>nd</sup> right costal cartilage

Termination: Lower border 4th thoracic vertebra


by becoming the thoracic (descending) aorta

#### Course:

- It arches superiorly, posteriorly and to the left, and then inferiorly.
- · The arch ascends anterior to the right pulmonary artery and the bifurcation of
- It passes over the root of the left lung to become at the left side of the trachea

### N.B The ligamentum arteriosum :


it is the remnant of the fetal ductus arteriosus. It passes from the root of the left pulmonary artery to the inferior surface of the arch of the aorta




# Arch of Aorta Relations:

### Anteriorly and to the left:

Oleft phrenic, left vagus and left superior intercostal vein







Esophagus, trachea, left recurrent laryngeal nerve and thoracic duct




### Inferiorly:

- ✓ Bifurcation of pulmonary trunk
- ✓ Ligamentum arteriosum.
- Superficial cardiac plexus
- left recurrent laryngeal nerve.








## **Aortic arch branches**


## Three branches

- 1. Brachiocephalic trunk
- 2. Left common carotid artery
- Left subclavian artery



# BrachiocePhalic Frank:

- It arises posterior to the manubrium, where it is anterior to the trachea and posterior to the left brachiocephalic vein
- At the right sternoclavicular (SC) joint, it divides into the right
- common carotid and right subclavian arteries.



# (2) Left Common Carotid arter

- · It arises posterior to the manubrium
- It enters the neck by passing posterior to the left SC joint.

- It arises from the posterior part of the arch behind left common carotid artery
- It leaves the thorax and enters the root of the neck by passing posterior to the





SC Joint Recal:

onoled sla Jb 4 s

+ arch of Aorta branches.


1 - Prachiocephalic V begining

### Nerves of the superior mediastinum


### I-Vagus Nerve

#### Right vagus nerve

- ☐ Passes on the right side of the trachea ,then posterior to the right brachiocephalic vein, SVC 4
- ☐ It contributes to Rt. pulmonary, esophageal and cardiac plexuses
- ☐ It gives right recurrent laryngeal nerve ,which hooks around the right subclavian artery and ascends between the trachea and esophagus to supply the larynx







#### The left vagus nerve


Left Lung


- ☐ It enters the mediastinum between the left common carotid artery and left
- It gives left recurrent laryngeal nerve which hooks around the arch of the
- aorta, lateral to the ligamentum arteriosum, and ascends in the groove between the trachea and the esophagus to supply the larynx

#### Both vagi are passing behind the root of the lung











The phrenic nerves: is motor and sensory nerve supply for the diaphragm and sensory to the pericardium and mediastinal pleura.

The right phrenic nerve : passes along the right side of the right brachiocephalic vein, SVC, and the pericardium over the right atrium and descends on the right side of the IVC to passes through caval opening of the

diaphragm.




### $\fine 1$ The left phrenic nerve :


It crosses the left vagus, then ,it runs along the fibrous pericardium , the left atrium and ventricle of the heart.

It pierces the diaphragm to the left of the pericardium

Both phrenic nerves are passing anterior to the root of the lungs








### **Anterior Mediastinum**

It lies between pericardium and sternum Contents:

- 1-Superior and inferior sterno-pericardial ligaments
- 2-Mediastinal branches of internal thoracic artery.
- 3-Remains of thymus gland.
- 4-Lymph nodes.



A 62 years old male patient has diagnosed as lung cancer . He is a heavy smoker, diabetic, and hypertensive. During a chemotherapy session for lung cancer, he complained of dyspnea for a week, and the doctor noticed edema in the face and arms . The doctor asked him to raise his hands above the head, and he noticed increased the edema.

What is your provisional diagnosis ??